

THE MORAN COMPANY

Analysis of Payment Versus Cost for Imaging Procedures Affected by DRA

Cost Based on CMS Values for Direct & Indirect Costs in Non-Facility Setting

** See Notes section at the end of this spreadsheet

| HCPCS MOD | Description | MPFS Non-Fac RATE 06 | OPPS RATE 06 | Est. CMS "Town Hall" Cost Data | DRA Capped Rate | Capped Payment as % of Est. Cost | Capped Rate Versus Est. CMS Cost |
|-----------|-------------|----------------------|--------------|--------------------------------|-----------------|----------------------------------|----------------------------------|
|-----------|-------------|----------------------|--------------|--------------------------------|-----------------|----------------------------------|----------------------------------|

Totals

| | | | | | | | |
|---------|--------------------------------|-----------|-----------|-------------|----------|-----|-------------|
| 70010TC | Contrast x-ray of brain | \$ 172.81 | \$ 173.53 | \$ 165.99 | \$ - | | \$ - |
| 70015TC | Contrast x-ray of brain | \$ 54.19 | \$ 173.53 | \$ 167.80 | \$ - | | \$ - |
| 70030TC | X-ray eye for foreign body | \$ 16.67 | \$ 43.42 | \$ 37.33 | \$ - | | \$ - |
| 70100TC | X-ray exam of jaw | \$ 20.46 | \$ 43.42 | \$ 39.39 | \$ - | | \$ - |
| 70110TC | X-ray exam of jaw | \$ 25.01 | \$ 43.42 | \$ 48.77 | \$ - | | \$ - |
| 70120TC | X-ray exam of mastoids | \$ 25.01 | \$ 43.42 | \$ 43.15 | \$ - | | \$ - |
| 70130TC | X-ray exam of mastoids | \$ 31.45 | \$ 43.42 | \$ 71.65 | \$ - | | \$ - |
| 70134TC | X-ray exam of middle ear | \$ 29.56 | \$ 73.89 | \$ 55.39 | \$ - | | \$ - |
| 70140TC | X-ray exam of facial bones | \$ 25.01 | \$ 43.42 | \$ 32.25 | \$ - | | \$ - |
| 70150TC | X-ray exam of facial bones | \$ 31.45 | \$ 43.42 | \$ 52.66 | \$ - | | \$ - |
| 70160TC | X-ray exam of nasal bones | \$ 20.46 | \$ 43.42 | \$ 44.11 | \$ - | | \$ - |
| 70170TC | X-ray exam of tear duct | \$ 38.28 | \$ 205.56 | \$ - | \$ - | | \$ - |
| 70190TC | X-ray exam of eye sockets | \$ 25.01 | \$ 43.42 | \$ 44.34 | \$ - | | \$ - |
| 70200TC | X-ray exam of eye sockets | \$ 31.45 | \$ 43.42 | \$ 53.48 | \$ - | | \$ - |
| 70210TC | X-ray exam of sinuses | \$ 25.01 | \$ 43.42 | \$ 33.12 | \$ - | | \$ - |
| 70220TC | X-ray exam of sinuses | \$ 31.45 | \$ 43.42 | \$ 43.43 | \$ - | | \$ - |
| 70240TC | "X-ray exam, pituitary saddle" | \$ 16.67 | \$ 43.42 | \$ 35.21 | \$ - | | \$ - |
| 70250TC | X-ray exam of skull | \$ 25.01 | \$ 43.42 | \$ 43.00 | \$ - | | \$ - |
| 70260TC | X-ray exam of skull | \$ 36.00 | \$ 73.89 | \$ 53.12 | \$ - | | \$ - |
| 70300TC | X-ray exam of teeth | \$ 10.61 | \$ 47.72 | \$ 12.45 | \$ - | | \$ - |
| 70310TC | X-ray exam of teeth | \$ 16.67 | \$ 47.72 | \$ 49.80 | \$ - | | \$ - |
| 70320TC | Full mouth x-ray of teeth | \$ 31.45 | \$ 47.72 | \$ 58.82 | \$ - | | \$ - |
| 70328TC | X-ray exam of jaw joint | \$ 19.33 | \$ 43.42 | \$ 37.33 | \$ - | | \$ - |
| 70330TC | X-ray exam of jaw joints | \$ 33.73 | \$ 43.42 | \$ 62.15 | \$ - | | \$ - |
| 70332TC | X-ray exam of jaw joint | \$ 84.51 | \$ 207.85 | \$ 88.57 | \$ - | | \$ - |
| 70336TC | "Magnetic image, jaw joint" | \$ 447.95 | \$ 303.49 | \$ 904.31 | \$303.49 | 34% | \$ (600.82) |
| 70350TC | X-ray head for orthodontia | \$ 15.16 | \$ 43.42 | \$ 17.19 | \$ - | | \$ - |
| 70355TC | Panoramic x-ray of jaws | \$ 23.12 | \$ 43.42 | \$ 13.85 | \$ - | | \$ - |
| 70360TC | X-ray exam of neck | \$ 16.67 | \$ 43.42 | \$ 34.87 | \$ - | | \$ - |
| 70370TC | Throat x-ray & fluoroscopy | \$ 52.30 | \$ 79.10 | \$ 107.13 | \$ - | | \$ - |
| 70371TC | "Speech evaluation, complex" | \$ 84.51 | \$ 79.10 | \$ 86.60 | \$ 79.10 | 91% | \$ (7.50) |
| 70373TC | Contrast x-ray of larynx | \$ 72.01 | \$ 101.04 | \$ 106.57 | \$ - | | \$ - |
| 70380TC | X-ray exam of salivary gland | \$ 26.91 | \$ 43.42 | \$ 49.12 | \$ - | | \$ - |
| 70390TC | X-ray exam of salivary duct | \$ 72.01 | \$ 101.04 | \$ 157.70 | \$ - | | \$ - |
| 70450TC | Ct head/brain w/o dye | \$ 188.73 | \$ 188.10 | \$ 335.77 | \$188.10 | 56% | \$ (147.67) |
| 70460TC | Ct head/brain w/dye | \$ 226.63 | \$ 255.43 | \$ 447.14 | \$ - | | \$ - |
| 70470TC | Ct head/brain w/o & w/dye | \$ 282.72 | \$ 303.82 | \$ 548.45 | \$ - | | \$ - |
| 70480TC | Ct orbit/ear/fossa w/o dye | \$ 188.73 | \$ 188.10 | \$ 588.82 | \$188.10 | 32% | \$ (400.72) |
| 70481TC | Ct orbit/ear/fossa w/dye | \$ 226.63 | \$ 255.43 | \$ 697.75 | \$ - | | \$ - |
| 70482TC | Ct orbit/ear/fossa w/o&w/dye | \$ 282.72 | \$ 303.82 | \$ 812.23 | \$ - | | \$ - |
| 70486TC | Ct maxillofacial w/o dye | \$ 188.73 | \$ 188.10 | \$ 469.27 | \$188.10 | 40% | \$ (281.17) |
| 70487TC | Ct maxillofacial w/dye | \$ 226.63 | \$ 255.43 | \$ 579.51 | \$ - | | \$ - |
| 70488TC | Ct maxillofacial w/o & w/dye | \$ 282.72 | \$ 303.82 | \$ 733.38 | \$ - | | \$ - |
| 70490TC | Ct soft tissue neck w/o dye | \$ 188.73 | \$ 188.10 | \$ 447.74 | \$188.10 | 42% | \$ (259.64) |
| 70491TC | Ct soft tissue neck w/dye | \$ 226.63 | \$ 255.43 | \$ 555.01 | \$ - | | \$ - |
| 70492TC | Ct sft tsue nck w/o & w/dye | \$ 282.72 | \$ 303.82 | \$ 713.16 | \$ - | | \$ - |
| 70496TC | "Ct angiography, head" | \$ 424.83 | \$ 297.22 | \$ 1,209.37 | \$297.22 | 25% | \$ (912.15) |
| 70498TC | "Ct angiography, neck" | \$ 424.83 | \$ 297.22 | \$ 1,221.28 | \$297.22 | 24% | \$ (924.06) |
| 70540TC | Mri orbit/face/neck w/o dye | \$ 440.37 | \$ 349.20 | \$ 1,054.25 | \$349.20 | 33% | \$ (705.05) |
| 70542TC | Mri orbit/face/neck w/dye | \$ 528.67 | \$ 371.00 | \$ 1,108.59 | \$371.00 | 33% | \$ (737.59) |

| HCPCS MOD | Description | MPFS Non-Fac RATE 06 | OPPS RATE 06 | Est. CMS "Town Hall" Cost Data | DRA Capped Rate | Capped Payment as % of Est. Cost | Capped Rate Versus Est. CMS Cost |
|-----------|-------------------------------|----------------------|--------------|--------------------------------|-----------------|----------------------------------|----------------------------------|
| 70543TC | Mri orbit/fac/nck w/o & w/dye | \$ 977.38 | \$ 506.26 | \$ 1,382.10 | \$ 506.26 | 37% | \$ (875.84) |
| 70544TC | Mr angiography head w/o dye | \$ 447.95 | \$ 349.20 | \$ 1,145.23 | \$ 349.20 | 30% | \$ (796.03) |
| 70545TC | Mr angiography head w/dye | \$ 447.95 | \$ 371.00 | \$ 1,129.66 | \$ 371.00 | 33% | \$ (758.66) |
| 70546TC | Mr angiograph head w/o&w/dye | \$ 873.92 | \$ 506.26 | \$ 1,753.28 | \$ 506.26 | 29% | \$ (1,247.02) |
| 70547TC | Mr angiography neck w/o dye | \$ 447.95 | \$ 349.20 | \$ 1,150.90 | \$ 349.20 | 30% | \$ (801.70) |
| 70548TC | Mr angiography neck w/dye | \$ 447.95 | \$ 371.00 | \$ 1,194.23 | \$ 371.00 | 31% | \$ (823.23) |
| 70549TC | Mr angiograph neck w/o&w/dye | \$ 873.92 | \$ 506.26 | \$ 1,744.64 | \$ 506.26 | 29% | \$ (1,238.38) |
| 70551TC | Mri brain w/o dye | \$ 447.95 | \$ 349.20 | \$ 1,038.82 | \$ 349.20 | 34% | \$ (689.62) |
| 70552TC | Mri brain w/dye | \$ 537.39 | \$ 371.00 | \$ 1,097.67 | \$ 371.00 | 34% | \$ (726.67) |
| 70553TC | Mri brain w/o & w/dye | \$ 995.19 | \$ 506.26 | \$ 1,288.39 | \$ 506.26 | 39% | \$ (782.13) |
| 71010TC | Chest x-ray | \$ 18.57 | \$ 43.42 | \$ 25.13 | \$ - | | \$ - |
| 71015TC | Chest x-ray | \$ 20.46 | \$ 43.42 | \$ 33.77 | \$ - | | \$ - |
| 71020TC | Chest x-ray | \$ 25.01 | \$ 43.42 | \$ 33.43 | \$ - | | \$ - |
| 71021TC | Chest x-ray | \$ 29.56 | \$ 43.42 | \$ 42.34 | \$ - | | \$ - |
| 71022TC | Chest x-ray | \$ 29.56 | \$ 43.42 | \$ 53.56 | \$ - | | \$ - |
| 71023TC | Chest x-ray and fluoroscopy | \$ 31.45 | \$ 79.10 | \$ 103.85 | \$ - | | \$ - |
| 71030TC | Chest x-ray | \$ 31.45 | \$ 43.42 | \$ 54.69 | \$ - | | \$ - |
| 71034TC | Chest x-ray and fluoroscopy | \$ 57.60 | \$ 79.10 | \$ 141.46 | \$ - | | \$ - |
| 71035TC | Chest x-ray | \$ 20.46 | \$ 43.42 | \$ 50.02 | \$ - | | \$ - |
| 71040TC | Contrast x-ray of bronchi | \$ 58.36 | \$ 101.04 | \$ 119.89 | \$ - | | \$ - |
| 71060TC | Contrast x-ray of bronchi | \$ 88.68 | \$ 101.04 | \$ 196.84 | \$ - | | \$ - |
| 71100TC | X-ray exam of ribs | \$ 23.12 | \$ 43.42 | \$ 36.57 | \$ - | | \$ - |
| 71101TC | X-ray exam of ribs/chest | \$ 26.91 | \$ 43.42 | \$ 46.32 | \$ - | | \$ - |
| 71110TC | X-ray exam of ribs | \$ 31.45 | \$ 43.42 | \$ 47.77 | \$ - | | \$ - |
| 71111TC | X-ray exam of ribs/chest | \$ 36.00 | \$ 73.89 | \$ 65.87 | \$ - | | \$ - |
| 71120TC | X-ray exam of breastbone | \$ 26.15 | \$ 43.42 | \$ 37.52 | \$ - | | \$ - |
| 71130TC | X-ray exam of breastbone | \$ 28.42 | \$ 43.42 | \$ 46.16 | \$ - | | \$ - |
| 71250TC | Ct thorax w/o dye | \$ 236.48 | \$ 188.10 | \$ 443.33 | \$ 188.10 | 42% | \$ (255.23) |
| 71260TC | Ct thorax w/dye | \$ 282.72 | \$ 255.43 | \$ 552.26 | \$ 255.43 | 46% | \$ (296.83) |
| 71270TC | Ct thorax w/o & w/dye | \$ 353.96 | \$ 303.82 | \$ 710.41 | \$ 303.82 | 43% | \$ (406.59) |
| 71275TC | "Ct angiography, chest" | \$ 485.47 | \$ 297.22 | \$ 803.94 | \$ 297.22 | 37% | \$ (506.72) |
| 71550TC | Mri chest w/o dye | \$ 442.64 | \$ 349.20 | \$ 1,203.73 | \$ 349.20 | 29% | \$ (854.53) |
| 71551TC | Mri chest w/dye | \$ 530.57 | \$ 371.00 | \$ 1,300.37 | \$ 371.00 | 29% | \$ (929.37) |
| 71552TC | Mri chest w/o & w/dye | \$ 971.31 | \$ 506.26 | \$ 1,644.69 | \$ 506.26 | 31% | \$ (1,138.43) |
| 71555TC | Mri angio chest w or w/o dye | \$ 447.95 | | \$ 1,108.88 | \$ - | | \$ - |
| 72010TC | X-ray exam of spine | \$ 40.93 | \$ 43.42 | \$ 83.09 | \$ - | | \$ - |
| 72020TC | X-ray exam of spine | \$ 16.67 | \$ 43.42 | \$ 27.56 | \$ - | | \$ - |
| 72040TC | X-ray exam of neck spine | \$ 24.25 | \$ 43.42 | \$ 46.47 | \$ - | | \$ - |
| 72050TC | X-ray exam of neck spine | \$ 36.00 | \$ 73.89 | \$ 64.43 | \$ - | | \$ - |
| 72052TC | X-ray exam of neck spine | \$ 45.10 | \$ 73.89 | \$ 84.13 | \$ - | | \$ - |
| 72069TC | X-ray exam of trunk spine | \$ 19.33 | \$ 43.42 | \$ 45.36 | \$ - | | \$ - |
| 72070TC | X-ray exam of thoracic spine | \$ 26.15 | \$ 43.42 | \$ 37.52 | \$ - | | \$ - |
| 72072TC | X-ray exam of thoracic spine | \$ 29.56 | \$ 43.42 | \$ 48.27 | \$ - | | \$ - |
| 72074TC | X-ray exam of thoracic spine | \$ 36.76 | \$ 43.42 | \$ 59.58 | \$ - | | \$ - |
| 72080TC | X-ray exam of trunk spine | \$ 26.91 | \$ 43.42 | \$ 39.79 | \$ - | | \$ - |
| 72090TC | X-ray exam of trunk spine | \$ 26.91 | \$ 73.89 | \$ 61.35 | \$ - | | \$ - |
| 72100TC | X-ray exam of lower spine | \$ 26.91 | \$ 43.42 | \$ 49.24 | \$ - | | \$ - |
| 72110TC | X-ray exam of lower spine | \$ 36.76 | \$ 73.89 | \$ 69.32 | \$ - | | \$ - |
| 72114TC | X-ray exam of lower spine | \$ 47.37 | \$ 73.89 | \$ 93.80 | \$ - | | \$ - |
| 72120TC | X-ray exam of lower spine | \$ 36.00 | \$ 73.89 | \$ 63.47 | \$ - | | \$ - |
| 72125TC | Ct neck spine w/o dye | \$ 236.48 | \$ 188.10 | \$ 441.13 | \$ 188.10 | 43% | \$ (253.03) |
| 72126TC | Ct neck spine w/dye | \$ 282.72 | \$ 255.43 | \$ 555.01 | \$ 255.43 | 46% | \$ (299.58) |
| 72127TC | Ct neck spine w/o & w/dye | \$ 353.96 | \$ 303.82 | \$ 728.00 | \$ 303.82 | 42% | \$ (424.18) |
| 72128TC | Ct chest spine w/o dye | \$ 236.48 | \$ 188.10 | \$ 443.33 | \$ 188.10 | 42% | \$ (255.23) |
| 72129TC | Ct chest spine w/dye | \$ 282.72 | \$ 255.43 | \$ 552.26 | \$ 255.43 | 46% | \$ (296.83) |
| 72130TC | Ct chest spine w/o & w/dye | \$ 353.96 | \$ 303.82 | \$ 728.00 | \$ 303.82 | 42% | \$ (424.18) |
| 72131TC | Ct lumbar spine w/o dye | \$ 236.48 | \$ 188.10 | \$ 443.33 | \$ 188.10 | 42% | \$ (255.23) |
| 72132TC | Ct lumbar spine w/dye | \$ 282.72 | \$ 255.43 | \$ 555.01 | \$ 255.43 | 46% | \$ (299.58) |

| HCPCS MOD | Description | MPFS Non-Fac RATE 06 | OPPS RATE 06 | Est. CMS "Town Hall" Cost Data | DRA Capped Rate | Capped Payment as % of Est. Cost | Capped Rate Versus Est. CMS Cost |
|-----------|--------------------------------|----------------------|--------------|--------------------------------|-----------------|----------------------------------|----------------------------------|
| 72133TC | Ct lumbar spine w/o & w/dye | \$ 353.96 | \$ 303.82 | \$ 709.65 | \$303.82 | 43% | \$ (405.83) |
| 72141TC | Mri neck spine w/o dye | \$ 447.95 | \$ 349.20 | \$ 904.31 | \$349.20 | 39% | \$ (555.11) |
| 72142TC | Mri neck spine w/dye | \$ 537.39 | \$ 371.00 | \$ 1,108.59 | \$371.00 | 33% | \$ (737.59) |
| 72146TC | Mri chest spine w/o dye | \$ 497.22 | \$ 349.20 | \$ 899.90 | \$349.20 | 39% | \$ (550.70) |
| 72147TC | Mri chest spine w/dye | \$ 537.39 | \$ 371.00 | \$ 954.62 | \$371.00 | 39% | \$ (583.62) |
| 72148TC | Mri lumbar spine w/o dye | \$ 497.22 | \$ 349.20 | \$ 908.72 | \$349.20 | 38% | \$ (559.52) |
| 72149TC | Mri lumbar spine w/dye | \$ 537.39 | \$ 371.00 | \$ 1,114.05 | \$371.00 | 33% | \$ (743.05) |
| 72156TC | Mri neck spine w/o & w/dye | \$ 995.19 | \$ 506.26 | \$ 1,264.76 | \$506.26 | 40% | \$ (758.50) |
| 72157TC | Mri chest spine w/o & w/dye | \$ 995.19 | \$ 506.26 | \$ 1,145.52 | \$506.26 | 44% | \$ (639.26) |
| 72158TC | Mri lumbar spine w/o & w/dye | \$ 995.19 | \$ 506.26 | \$ 1,270.99 | \$506.26 | 40% | \$ (764.73) |
| 72159TC | Mr angio spine w/o&w/dye | \$ 489.26 | | \$ 530.41 | \$ - | | \$ - |
| 72170TC | X-ray exam of pelvis | \$ 20.46 | \$ 43.42 | \$ 28.38 | \$ - | | \$ - |
| 72190TC | X-ray exam of pelvis | \$ 26.91 | \$ 43.42 | \$ 52.03 | \$ - | | \$ - |
| 72191TC | Ct angiograph pelv w/o&w/dye | \$ 471.82 | \$ 297.22 | \$ 783.11 | \$297.22 | 38% | \$ (485.89) |
| 72192TC | Ct pelvis w/o dye | \$ 236.48 | \$ 188.10 | \$ 411.34 | \$188.10 | 46% | \$ (223.24) |
| 72193TC | Ct pelvis w/dye | \$ 273.62 | \$ 255.43 | \$ 521.79 | \$255.43 | 49% | \$ (266.36) |
| 72194TC | Ct pelvis w/o & w/dye | \$ 338.80 | \$ 303.82 | \$ 713.16 | \$303.82 | 43% | \$ (409.34) |
| 72195TC | Mri pelvis w/o dye | \$ 442.64 | \$ 349.20 | \$ 1,054.25 | \$349.20 | 33% | \$ (705.05) |
| 72196TC | Mri pelvis w/dye | \$ 530.57 | \$ 371.00 | \$ 1,108.59 | \$371.00 | 33% | \$ (737.59) |
| 72197TC | Mri pelvis w/o & w/dye | \$ 980.41 | \$ 506.26 | \$ 1,368.62 | \$506.26 | 37% | \$ (862.36) |
| 72198TC | Mr angio pelvis w/o & w/dye | \$ 447.95 | | \$ 1,087.66 | \$ - | | \$ - |
| 72200TC | X-ray exam sacroiliac joints | \$ 20.46 | \$ 43.42 | \$ 35.62 | \$ - | | \$ - |
| 72202TC | X-ray exam sacroiliac joints | \$ 25.01 | \$ 43.42 | \$ 46.00 | \$ - | | \$ - |
| 72220TC | X-ray exam of tailbone | \$ 23.12 | \$ 43.42 | \$ 34.73 | \$ - | | \$ - |
| 72240TC | Contrast x-ray of neck spine | \$ 189.87 | \$ 173.53 | \$ 157.62 | \$173.53 | 110% | \$ 15.91 |
| 72255TC | "Contrast x-ray, thorax spine" | \$ 172.81 | \$ 173.53 | \$ 138.22 | \$ - | | \$ - |
| 72265TC | "Contrast x-ray, lower spine" | \$ 162.96 | \$ 173.53 | \$ 157.62 | \$ - | | \$ - |
| 72270TC | "Contrast x-ray, spine" | \$ 244.44 | \$ 173.53 | \$ 246.50 | \$173.53 | 70% | \$ (72.97) |
| 72275TC | Epidurography | \$ 88.30 | \$ 173.53 | \$ 101.64 | \$ - | | \$ - |
| 72285TC | X-ray c/t spine disk | \$ 334.63 | \$ 724.32 | \$ 75.98 | \$ - | | \$ - |
| 72295TC | X-ray of lower spine disk | \$ 313.79 | \$ 724.32 | \$ 78.95 | \$ - | | \$ - |
| 73000TC | X-ray exam of collar bone | \$ 20.46 | \$ 43.42 | \$ 32.63 | \$ - | | \$ - |
| 73010TC | X-ray exam of shoulder blade | \$ 20.46 | \$ 43.42 | \$ 33.58 | \$ - | | \$ - |
| 73020TC | X-ray exam of shoulder | \$ 18.57 | \$ 43.42 | \$ 26.01 | \$ - | | \$ - |
| 73030TC | X-ray exam of shoulder | \$ 23.12 | \$ 43.42 | \$ 32.95 | \$ - | | \$ - |
| 73040TC | Contrast x-ray of shoulder | \$ 84.51 | \$ 207.85 | \$ 144.69 | \$ - | | \$ - |
| 73050TC | X-ray exam of shoulders | \$ 26.91 | \$ 43.42 | \$ 41.12 | \$ - | | \$ - |
| 73060TC | X-ray exam of humerus | \$ 23.12 | \$ 43.42 | \$ 34.28 | \$ - | | \$ - |
| 73070TC | X-ray exam of elbow | \$ 20.46 | \$ 43.42 | \$ 32.16 | \$ - | | \$ - |
| 73080TC | X-ray exam of elbow | \$ 23.12 | \$ 43.42 | \$ 47.23 | \$ - | | \$ - |
| 73085TC | Contrast x-ray of elbow | \$ 84.51 | \$ 207.85 | \$ 111.99 | \$ - | | \$ - |
| 73090TC | X-ray exam of forearm | \$ 20.46 | \$ 43.42 | \$ 33.43 | \$ - | | \$ - |
| 73092TC | "X-ray exam of arm, infant" | \$ 19.33 | \$ 43.42 | \$ 35.09 | \$ - | | \$ - |
| 73100TC | X-ray exam of wrist | \$ 19.33 | \$ 43.42 | \$ 33.87 | \$ - | | \$ - |
| 73110TC | X-ray exam of wrist | \$ 20.84 | \$ 43.42 | \$ 47.93 | \$ - | | \$ - |
| 73115TC | Contrast x-ray of wrist | \$ 63.67 | \$ 207.85 | \$ 147.32 | \$ - | | \$ - |
| 73120TC | X-ray exam of hand | \$ 19.33 | \$ 43.42 | \$ 32.15 | \$ - | | \$ - |
| 73130TC | X-ray exam of hand | \$ 20.84 | \$ 43.42 | \$ 39.41 | \$ - | | \$ - |
| 73140TC | X-ray exam of finger(s) | \$ 16.67 | \$ 43.42 | \$ 40.78 | \$ - | | \$ - |
| 73200TC | Ct upper extremity w/o dye | \$ 197.82 | \$ 188.10 | \$ 445.54 | \$188.10 | 42% | \$ (257.44) |
| 73201TC | Ct upper extremity w/dye | \$ 236.48 | \$ 255.43 | \$ 555.01 | \$ - | | \$ - |
| 73202TC | Ct uppr extremity w/o&w/dye | \$ 296.74 | \$ 303.82 | \$ 757.11 | \$ - | | \$ - |
| 73206TC | Ct angio upr extrm w/o&w/dye | \$ 431.27 | \$ 297.22 | \$ 737.55 | \$297.22 | 40% | \$ (440.33) |
| 73218TC | Mri upper extremity w/o dye | \$ 440.37 | \$ 349.20 | \$ 1,059.39 | \$349.20 | 33% | \$ (710.19) |
| 73219TC | Mri upper extremity w/dye | \$ 528.67 | \$ 371.00 | \$ 1,114.05 | \$371.00 | 33% | \$ (743.05) |
| 73220TC | Mri uppr extremity w/o&w/dye | \$ 977.38 | \$ 506.26 | \$ 1,368.62 | \$506.26 | 37% | \$ (862.36) |
| 73221TC | Mri joint upr extrem w/o dye | \$ 440.37 | \$ 349.20 | \$ 993.22 | \$349.20 | 35% | \$ (644.02) |
| 73222TC | Mri joint upr extrem w/dye | \$ 528.67 | \$ 371.00 | \$ 1,050.03 | \$371.00 | 35% | \$ (679.03) |

| HCPCS MOD | Description | MPFS Non-Fac RATE 06 | OPPS RATE 06 | Est. CMS "Town Hall" Cost Data | DRA Capped Rate | Capped Payment as % of Est. Cost | Capped Rate Versus Est. CMS Cost |
|-----------|--------------------------------|----------------------|--------------|--------------------------------|-----------------|----------------------------------|----------------------------------|
| 73223TC | Mri joint upr extr w/o&w/dye | \$ 977.38 | \$ 506.26 | \$ 1,270.99 | \$506.26 | 40% | \$ (764.73) |
| 73225TC | Mr angio upr extr w/o&w/dye | \$ 440.75 | | \$ 530.41 | \$ - | | \$ - |
| 73500TC | X-ray exam of hip | \$ 18.57 | \$ 43.42 | \$ 27.85 | \$ - | | \$ - |
| 73510TC | X-ray exam of hip | \$ 23.12 | \$ 43.42 | \$ 47.16 | \$ - | | \$ - |
| 73520TC | X-ray exam of hips | \$ 26.91 | \$ 73.89 | \$ 46.93 | \$ - | | \$ - |
| 73525TC | Contrast x-ray of hip | \$ 84.51 | \$ 207.85 | \$ 110.86 | \$ - | | \$ - |
| 73540TC | X-ray exam of pelvis & hips | \$ 23.12 | \$ 43.42 | \$ 46.16 | \$ - | | \$ - |
| 73542TC | "X-ray exam, sacroiliac joint" | \$ 84.51 | \$ 207.85 | \$ 66.32 | \$ - | | \$ - |
| 73550TC | X-ray exam of thigh | \$ 23.12 | \$ 43.42 | \$ 32.15 | \$ - | | \$ - |
| 73560TC | "X-ray exam of knee, 1 or 2" | \$ 20.46 | \$ 43.42 | \$ 33.43 | \$ - | | \$ - |
| 73562TC | "X-ray exam of knee, 3" | \$ 23.12 | \$ 43.42 | \$ 42.17 | \$ - | | \$ - |
| 73564TC | "X-ray exam, knee, 4 or more" | \$ 25.01 | \$ 43.42 | \$ 51.09 | \$ - | | \$ - |
| 73565TC | X-ray exam of knees | \$ 19.33 | \$ 43.42 | \$ 35.65 | \$ - | | \$ - |
| 73580TC | Contrast x-ray of knee joint | \$ 104.98 | \$ 207.85 | \$ 148.27 | \$ - | | \$ - |
| 73590TC | X-ray exam of lower leg | \$ 20.46 | \$ 43.42 | \$ 31.67 | \$ - | | \$ - |
| 73592TC | "X-ray exam of leg, infant" | \$ 19.33 | \$ 43.42 | \$ 34.55 | \$ - | | \$ - |
| 73600TC | X-ray exam of ankle | \$ 19.33 | \$ 43.42 | \$ 32.31 | \$ - | | \$ - |
| 73610TC | X-ray exam of ankle | \$ 20.84 | \$ 43.42 | \$ 40.00 | \$ - | | \$ - |
| 73615TC | Contrast x-ray of ankle | \$ 84.51 | \$ 207.85 | \$ 113.48 | \$ - | | \$ - |
| 73620TC | X-ray exam of foot | \$ 19.33 | \$ 43.42 | \$ 29.45 | \$ - | | \$ - |
| 73630TC | X-ray exam of foot | \$ 20.84 | \$ 43.42 | \$ 38.03 | \$ - | | \$ - |
| 73650TC | X-ray exam of heel | \$ 18.57 | \$ 43.42 | \$ 31.83 | \$ - | | \$ - |
| 73660TC | X-ray exam of toe(s) | \$ 16.67 | \$ 43.42 | \$ 38.63 | \$ - | | \$ - |
| 73700TC | Ct lower extremity w/o dye | \$ 197.82 | \$ 188.10 | \$ 443.33 | \$188.10 | 42% | \$ (255.23) |
| 73701TC | Ct lower extremity w/dye | \$ 236.48 | \$ 255.43 | \$ 549.51 | \$ - | | \$ - |
| 73702TC | Ct lwr extremity w/o&w/dye | \$ 296.74 | \$ 303.82 | \$ 764.60 | \$ - | | \$ - |
| 73706TC | Ct angio lwr extr w/o&w/dye | \$ 431.27 | \$ 297.22 | \$ 858.72 | \$297.22 | 35% | \$ (561.50) |
| 73718TC | Mri lower extremity w/o dye | \$ 440.37 | \$ 349.20 | \$ 1,059.39 | \$349.20 | 33% | \$ (710.19) |
| 73719TC | Mri lower extremity w/dye | \$ 528.67 | \$ 371.00 | \$ 1,103.13 | \$371.00 | 34% | \$ (732.13) |
| 73720TC | Mri lwr extremity w/o&w/dye | \$ 977.38 | \$ 506.26 | \$ 1,361.88 | \$506.26 | 37% | \$ (855.62) |
| 73721TC | Mri jnt of lwr extre w/o dye | \$ 440.37 | \$ 349.20 | \$ 1,017.47 | \$349.20 | 34% | \$ (668.27) |
| 73722TC | Mri joint of lwr extr w/dye | \$ 528.67 | \$ 371.00 | \$ 1,050.03 | \$371.00 | 35% | \$ (679.03) |
| 73723TC | Mri joint lwr extr w/o&w/dye | \$ 977.38 | \$ 506.26 | \$ 1,264.76 | \$506.26 | 40% | \$ (758.50) |
| 73725TC | Mr ang lwr ext w/ w/o dye | \$ 447.95 | | \$ 1,077.05 | \$ - | | \$ - |
| 74000TC | X-ray exam of abdomen | \$ 20.46 | \$ 43.42 | \$ 26.88 | \$ - | | \$ - |
| 74010TC | X-ray exam of abdomen | \$ 23.12 | \$ 43.42 | \$ 49.27 | \$ - | | \$ - |
| 74020TC | X-ray exam of abdomen | \$ 25.01 | \$ 43.42 | \$ 49.52 | \$ - | | \$ - |
| 74022TC | "X-ray exam series, abdomen" | \$ 29.56 | \$ 73.89 | \$ 59.58 | \$ - | | \$ - |
| 74150TC | Ct abdomen w/o dye | \$ 226.63 | \$ 188.10 | \$ 411.34 | \$188.10 | 46% | \$ (223.24) |
| 74160TC | Ct abdomen w/dye | \$ 273.62 | \$ 255.43 | \$ 612.44 | \$255.43 | 42% | \$ (357.01) |
| 74170TC | Ct abdomen w/o & w/dye | \$ 338.80 | \$ 303.82 | \$ 859.69 | \$303.82 | 35% | \$ (555.87) |
| 74175TC | Ct angio abdom w/o & w/dye | \$ 471.82 | \$ 297.22 | \$ 849.93 | \$297.22 | 35% | \$ (552.71) |
| 74181TC | Mri abdomen w/o dye | \$ 442.64 | \$ 349.20 | \$ 891.08 | \$349.20 | 39% | \$ (541.88) |
| 74182TC | Mri abdomen w/dye | \$ 530.57 | \$ 371.00 | \$ 1,244.68 | \$371.00 | 30% | \$ (873.68) |
| 74183TC | Mri abdomen w/o & w/dye | \$ 980.41 | \$ 506.26 | \$ 1,361.88 | \$506.26 | 37% | \$ (855.62) |
| 74185TC | "Mri angio, abdom w orw/o dye" | \$ 447.95 | | \$ 1,077.05 | \$ - | | \$ - |
| 74190TC | X-ray exam of peritoneum | \$ 52.30 | \$ 205.56 | \$ - | \$ - | | \$ - |
| 74210TC | Contrst x-ray exam of throat | \$ 47.37 | \$ 87.44 | \$ 116.55 | \$ - | | \$ - |
| 74220TC | "Contrast x-ray, esophagus" | \$ 47.37 | \$ 87.44 | \$ 132.64 | \$ - | | \$ - |
| 74230TC | "Cine/vid x-ray, throat/esoph" | \$ 52.30 | \$ 87.44 | \$ 123.55 | \$ - | | \$ - |
| 74240TC | "X-ray exam, upper gi tract" | \$ 58.36 | \$ 87.44 | \$ 146.28 | \$ - | | \$ - |
| 74241TC | "X-ray exam, upper gi tract" | \$ 59.50 | \$ 87.44 | \$ 163.58 | \$ - | | \$ - |
| 74245TC | "X-ray exam, upper gi tract" | \$ 95.50 | \$ 136.58 | \$ 258.46 | \$ - | | \$ - |
| 74246TC | Contrst x-ray uppr gi tract | \$ 65.94 | \$ 87.44 | \$ 182.06 | \$ - | | \$ - |
| 74247TC | Contrst x-ray uppr gi tract | \$ 67.84 | \$ 87.44 | \$ 212.98 | \$ - | | \$ - |
| 74249TC | Contrst x-ray uppr gi tract | \$ 103.08 | \$ 136.58 | \$ 285.75 | \$ - | | \$ - |
| 74250TC | X-ray exam of small bowel | \$ 52.30 | \$ 87.44 | \$ 165.23 | \$ - | | \$ - |
| 74251TC | X-ray exam of small bowel | \$ 52.30 | \$ 136.58 | \$ 710.48 | \$ - | | \$ - |

| HCPCS MOD | Description | MPFS Non-Fac RATE 06 | OPPS RATE 06 | Est. CMS "Town Hall" Cost Data | DRA Capped Rate | Capped Payment as % of Est. Cost | Capped Rate Versus Est. CMS Cost |
|-----------|--------------------------------|----------------------|--------------|--------------------------------|-----------------|----------------------------------|----------------------------------|
| 74260TC | X-ray exam of small bowel | \$ 59.50 | \$ 136.58 | \$ 592.02 | \$ - | | \$ - |
| 74270TC | Contrast x-ray exam of colon | \$ 68.59 | \$ 87.44 | \$ 238.00 | \$ - | | \$ - |
| 74280TC | Contrast x-ray exam of colon | \$ 89.82 | \$ 136.58 | \$ 330.47 | \$ - | | \$ - |
| 74283TC | Contrast x-ray exam of colon | \$ 102.70 | \$ 87.44 | \$ 197.84 | \$ 87.44 | 44% | \$ (110.40) |
| 74290TC | "Contrast x-ray, gallbladder" | \$ 29.56 | \$ 87.44 | \$ 102.28 | \$ - | | \$ - |
| 74291TC | "Contrast x-rays, gallbladder" | \$ 16.67 | \$ 87.44 | \$ 105.16 | \$ - | | \$ - |
| 74320TC | Contrast x-ray of bile ducts | \$ 126.20 | \$ 205.56 | \$ 139.93 | \$ - | | \$ - |
| 74327TC | X-ray bile stone removal | \$ 71.25 | \$ 134.99 | \$ 190.18 | \$ - | | \$ - |
| 74328TC | X-ray bile duct endoscopy | \$ 126.20 | | \$ - | \$ - | | \$ - |
| 74329TC | X-ray for pancreas endoscopy | \$ - | | \$ - | \$ - | | \$ - |
| 74330TC | X-ray bile/panc endoscopy | \$ 126.20 | | \$ - | \$ - | | \$ - |
| 74340TC | X-ray guide for GI tube | \$104.98 | \$ 79.10 | \$ - | \$ 79.10 | | \$ 79.10 |
| 74350TC | "X-ray guide, stomach tube" | \$126.20 | \$ 101.04 | \$ 140.02 | \$101.04 | 72% | \$ (38.98) |
| 74355TC | "X-ray guide, intestinal tube" | \$104.98 | \$ 101.04 | \$ - | \$101.04 | | \$ 101.04 |
| 74360TC | "X-ray guide, GI dilation" | \$126.20 | \$ 134.99 | \$ - | \$ - | | \$ - |
| 74400TC | "Contrst x-ray, urinary tract" | \$ 67.84 | \$ 152.10 | \$ 169.25 | \$ - | | \$ - |
| 74410TC | "Contrst x-ray, urinary tract" | \$ 78.45 | \$ 152.10 | \$ 175.09 | \$ - | | \$ - |
| 74415TC | "Contrst x-ray, urinary tract" | \$ 85.27 | \$ 152.10 | \$ 219.56 | \$ - | | \$ - |
| 74420TC | "Contrst x-ray, urinary tract" | \$ 104.98 | \$ 152.10 | \$ - | \$ - | | \$ - |
| 74425TC | "Contrst x-ray, urinary tract" | \$ 52.30 | \$ 152.10 | \$ - | \$ - | | \$ - |
| 74430TC | "Contrast x-ray, bladder" | \$ 42.07 | \$ 152.10 | \$ 130.06 | \$ - | | \$ - |
| 74440TC | "X-ray, male genital tract" | \$ 45.10 | \$ 152.10 | \$ 135.25 | \$ - | | \$ - |
| 74445TC | X-ray exam of penis | \$ 45.10 | \$ 152.10 | \$ - | \$ - | | \$ - |
| 74450TC | "X-ray, urethra/bladder" | \$ 58.36 | \$ 152.10 | \$ - | \$ - | | \$ - |
| 74455TC | "X-ray, urethra/bladder" | \$ 63.67 | \$ 152.10 | \$ 139.98 | \$ - | | \$ - |
| 74470TC | X-ray exam of kidney lesion | \$ 50.02 | \$ 101.04 | \$ - | \$ - | | \$ - |
| 74475TC | "X-ray control, cath insert" | \$ 162.96 | \$ 303.37 | \$ 140.01 | \$ - | | \$ - |
| 74480TC | "X-ray control, cath insert" | \$ 162.96 | \$ 134.99 | \$ 139.16 | \$134.99 | 97% | \$ (4.17) |
| 74485TC | "X-ray guide, GU dilation" | \$ 126.20 | \$ 134.99 | \$ 147.60 | \$ - | | \$ - |
| 74710TC | X-ray measurement of pelvis | \$ 42.07 | \$ 73.89 | \$ 36.48 | \$ - | | \$ - |
| 74740TC | "X-ray, female genital tract" | \$ 52.30 | \$ 205.56 | \$ 116.89 | \$ - | | \$ - |
| 74775TC | X-ray exam of perineum | \$ 58.36 | \$ 152.10 | \$ - | \$ - | | \$ - |
| 75552TC | Heart mri for morph w/o dye | \$ 447.95 | \$ 349.20 | \$ 1,407.79 | \$ 349.20 | 25% | \$ (1,058.59) |
| 75553TC | Heart mri for morph w/dye | \$ 447.95 | \$ 371.00 | \$ 1,922.43 | \$ 371.00 | 19% | \$ (1,551.43) |
| 75554TC | Cardiac MRI/function | \$ 447.95 | \$ 349.20 | \$ 2,104.96 | \$ 349.20 | 17% | \$ (1,755.76) |
| 75555TC | Cardiac MRI/limited study | \$ 447.95 | \$ 349.20 | \$ 2,209.16 | \$ 349.20 | 16% | \$ (1,859.96) |
| 75600TC | Contrast x-ray exam of aorta | \$ 503.66 | \$ 1,215.14 | \$ 458.23 | \$ - | | \$ - |
| 75605TC | Contrast x-ray exam of aorta | \$ 503.66 | \$ 1,215.14 | \$ 232.84 | \$ - | | \$ - |
| 75625TC | Contrast x-ray exam of aorta | \$ 503.66 | \$ 1,215.14 | \$ 207.62 | \$ - | | \$ - |
| 75630TC | "X-ray aorta, leg arteries" | \$ 525.26 | \$ 1,215.14 | \$ 218.29 | \$ - | | \$ - |
| 75635TC | Ct angio abdominal arteries | \$ 619.62 | \$ 297.22 | \$ 875.22 | \$ 297.22 | 34% | \$ (578.00) |
| 75650TC | "Artery x-rays, head & neck" | \$ 503.66 | \$ 1,215.14 | \$ 210.53 | \$ - | | \$ - |
| 75658TC | "Artery x-rays, arm" | \$ 503.66 | \$ 517.67 | \$ 231.66 | \$ - | | \$ - |
| 75660TC | "Artery x-rays, head & neck" | \$ 503.66 | \$ 375.54 | \$ 233.80 | \$ 375.54 | 161% | \$ 141.74 |
| 75662TC | "Artery x-rays, head & neck" | \$ 503.66 | \$ 1,215.14 | \$ 308.97 | \$ - | | \$ - |
| 75665TC | "Artery x-rays, head & neck" | \$ 503.66 | \$ 1,215.14 | \$ 237.16 | \$ - | | \$ - |
| 75671TC | "Artery x-rays, head & neck" | \$ 503.66 | \$ 1,215.14 | \$ 300.42 | \$ - | | \$ - |
| 75676TC | "Artery x-rays, neck" | \$ 503.66 | \$ 1,215.14 | \$ 226.30 | \$ - | | \$ - |
| 75680TC | "Artery x-rays, neck" | \$ 503.66 | \$ 1,215.14 | \$ 273.04 | \$ - | | \$ - |
| 75685TC | "Artery x-rays, spine" | \$ 503.66 | \$ 1,215.14 | \$ 233.80 | \$ - | | \$ - |
| 75705TC | "Artery x-rays, spine" | \$ 503.66 | \$ 375.54 | \$ 218.79 | \$ 375.54 | 172% | \$ 156.75 |
| 75710TC | "Artery x-rays, arm/leg" | \$ 503.66 | \$ 1,215.14 | \$ 241.48 | \$ - | | \$ - |
| 75716TC | "Artery x-rays, arms/legs" | \$ 503.66 | \$ 1,215.14 | \$ 302.63 | \$ - | | \$ - |
| 75722TC | "Artery x-rays, kidney" | \$ 503.66 | \$ 1,215.14 | \$ 243.37 | \$ - | | \$ - |
| 75724TC | "Artery x-rays, kidneys" | \$ 503.66 | \$ 1,215.14 | \$ 331.36 | \$ - | | \$ - |
| 75726TC | "Artery x-rays, abdomen" | \$ 503.66 | \$ 1,215.14 | \$ 229.52 | \$ - | | \$ - |
| 75731TC | "Artery x-rays, adrenal gland" | \$ 503.66 | \$ 1,215.14 | \$ 242.60 | \$ - | | \$ - |
| 75733TC | "Artery x-rays, adrenals" | \$ 503.66 | \$ 375.54 | \$ 337.50 | \$ 375.54 | 111% | \$ 38.04 |

| HCPCS MOD | Description | MPFS Non-Fac RATE 06 | OPPS RATE 06 | Est. CMS "Town Hall" Cost Data | DRA Capped Rate | Capped Payment as % of Est. Cost | Capped Rate Versus Est. CMS Cost |
|-----------|--------------------------------|----------------------|--------------|--------------------------------|-----------------|----------------------------------|----------------------------------|
| 75736TC | "Artery x-rays, pelvis" | \$ 503.66 | \$ 1,215.14 | \$ 236.21 | \$ - | | \$ - |
| 75741TC | "Artery x-rays, lung" | \$ 503.66 | \$ 517.67 | \$ 189.05 | \$ - | | \$ - |
| 75743TC | "Artery x-rays, lungs" | \$ 503.66 | \$ 1,215.14 | \$ 208.10 | \$ - | | \$ - |
| 75746TC | "Artery x-rays, lung" | \$ 503.66 | \$ 517.67 | \$ 213.30 | \$ - | | \$ - |
| 75756TC | "Artery x-rays, chest" | \$ 503.66 | \$ 517.67 | \$ 300.74 | \$ - | | \$ - |
| 75774TC | "Artery x-ray, each vessel" | \$ 503.66 | \$ 517.67 | \$ 169.48 | \$ - | | \$ - |
| 75790TC | Visualize A-V shunt | \$ 54.19 | \$ 517.67 | \$ 169.97 | \$ - | | \$ - |
| 75801TC | "Lymph vessel x-ray, arm/leg" | \$ 216.77 | \$ 205.56 | \$ - | \$205.56 | | \$ 205.56 |
| 75803TC | "Lymph vessel x-ray,arms/legs" | \$ 216.77 | \$ 205.56 | \$ - | \$205.56 | | \$ 205.56 |
| 75805TC | "Lymph vessel x-ray, trunk" | \$ 244.44 | \$ 205.56 | \$ - | \$205.56 | | \$ 205.56 |
| 75809TC | "Nonvascular shunt, x-ray" | \$ 31.45 | \$ 101.04 | \$ 142.49 | \$ - | | \$ - |
| 75810TC | "Vein x-ray, spleen/liver" | \$ 503.66 | \$ 517.67 | \$ - | \$ - | | \$ - |
| 75820TC | "Vein x-ray, arm/leg" | \$ 38.28 | \$ 375.54 | \$ 199.56 | \$ - | | \$ - |
| 75822TC | "Vein x-ray, arms/legs" | \$ 59.12 | \$ 375.54 | \$ 196.18 | \$ - | | \$ - |
| 75825TC | "Vein x-ray, trunk" | \$ 503.66 | \$ 517.67 | \$ 175.72 | \$ - | | \$ - |
| 75827TC | "Vein x-ray, chest" | \$ 503.66 | \$ 517.67 | \$ 174.84 | \$ - | | \$ - |
| 75831TC | "Vein x-ray, kidney" | \$ 503.66 | \$ 517.67 | \$ 184.18 | \$ - | | \$ - |
| 75833TC | "Vein x-ray, kidneys" | \$ 503.66 | \$ 517.67 | \$ 214.18 | \$ - | | \$ - |
| 75840TC | "Vein x-ray, adrenal gland" | \$ 503.66 | \$ 1,215.14 | \$ 92.09 | \$ - | | \$ - |
| 75842TC | "Vein x-ray, adrenal glands" | \$ 503.66 | \$ 1,215.14 | \$ 107.12 | \$ - | | \$ - |
| 75860TC | "Vein x-ray, neck" | \$ 503.66 | \$ 375.54 | \$ 220.10 | \$375.54 | 171% | \$ 155.44 |
| 75870TC | "Vein x-ray, skull" | \$ 503.66 | \$ 375.54 | \$ 194.31 | \$375.54 | 193% | \$ 181.23 |
| 75872TC | "Vein x-ray, skull" | \$ 503.66 | \$ 517.67 | \$ 201.68 | \$ - | | \$ - |
| 75880TC | "Vein x-ray, eye socket" | \$ 38.28 | \$ 375.54 | \$ 185.42 | \$ - | | \$ - |
| 75885TC | "Vein x-ray, liver" | \$ 503.66 | \$ 1,215.14 | \$ 90.89 | \$ - | | \$ - |
| 75887TC | "Vein x-ray, liver" | \$ 503.66 | \$ 517.67 | \$ 189.96 | \$ - | | \$ - |
| 75889TC | "Vein x-ray, liver" | \$ 503.66 | \$ 1,215.14 | \$ 90.89 | \$ - | | \$ - |
| 75891TC | "Vein x-ray, liver" | \$ 503.66 | \$ 517.67 | \$ 184.51 | \$ - | | \$ - |
| 75893TC | Venous sampling by catheter | \$ 503.66 | | \$ 186.02 | \$ - | | \$ - |
| 75894TC | "X-rays, transcath therapy" | \$ 965.25 | \$ 303.37 | \$ - | \$303.37 | | \$ 303.37 |
| 75896TC | "X-rays, transcath therapy" | \$ 839.43 | \$ 303.37 | \$ - | \$303.37 | | \$ 303.37 |
| 75898TC | Follow-up angiography | \$ 42.07 | \$ 101.04 | \$ - | \$ - | | \$ - |
| 75901TC | Remove cva device obstruct | \$ 81.10 | \$ 101.04 | \$ 282.52 | \$ - | | \$ - |
| 75902TC | Remove cva lumen obstruct | \$ 81.10 | \$ 101.04 | \$ 106.64 | \$ - | | \$ - |
| 75940TC | "X-ray placement, vein filter" | \$ 503.66 | \$ 303.37 | \$ - | \$303.37 | | \$ 303.37 |
| 75945TC | Intravascular us | \$ 182.29 | \$ 152.01 | \$ - | \$152.01 | | \$ 152.01 |
| 75960TC | Transcath iv stent rs&i | \$ 595.37 | \$ 375.54 | \$ - | \$375.54 | | \$ 375.54 |
| 75961TC | "Retrieval, broken catheter" | \$ 419.90 | \$ 375.54 | \$ 212.05 | \$375.54 | 177% | \$ 163.49 |
| 75962TC | Repair arterial blockage | \$ 629.86 | \$ 375.54 | \$ 224.65 | \$375.54 | 167% | \$ 150.89 |
| 75964TC | "Repair artery blockage, each" | \$ 335.01 | \$ 375.54 | \$ 155.93 | \$ - | | \$ - |
| 75966TC | Repair arterial blockage | \$ 629.86 | \$ 375.54 | \$ 258.67 | \$375.54 | 145% | \$ 116.87 |
| 75968TC | "Repair artery blockage, each" | \$ 335.01 | \$ 375.54 | \$ 171.37 | \$ - | | \$ - |
| 75970TC | Vascular biopsy | \$ 461.21 | \$ 375.54 | \$ - | \$375.54 | | \$ 375.54 |
| 75978TC | Repair venous blockage | \$ 629.86 | \$ 375.54 | \$ 200.27 | \$375.54 | 188% | \$ 175.27 |
| 75980TC | Contrast xray exam bile duct | \$ 216.77 | \$ 303.37 | \$ - | \$ - | | \$ - |
| 75984TC | Xray control catheter change | \$ 78.45 | \$ 101.04 | \$ 147.66 | \$ - | | \$ - |
| 75989TC | Abscess drainage under x-ray | \$ 126.20 | | \$ 130.26 | \$ - | | \$ - |
| 75992TC | "Atherectomy, x-ray exam" | \$ 629.86 | \$ 517.67 | \$ - | \$517.67 | | \$ 517.67 |
| 76000TC | Fluoroscope examination | \$ 52.30 | \$ 79.10 | \$ 181.90 | \$ - | | \$ - |
| 76001TC | "Fluoroscope exam, extensive" | \$ 104.98 | | \$ - | \$ - | | \$ - |
| 76010TC | "X-ray, nose to rectum" | \$ 20.46 | \$ 43.42 | \$ 31.67 | \$ - | | \$ - |
| 76020TC | X-rays for bone age | \$ 20.46 | \$ 43.42 | \$ 24.76 | \$ - | | \$ - |
| 76040TC | "X-rays, bone evaluation" | \$ 31.45 | \$ 73.89 | \$ 35.53 | \$ - | | \$ - |
| 76061TC | "X-rays, bone survey" | \$ 40.17 | \$ 73.89 | \$ 87.60 | \$ - | | \$ - |
| 76062TC | "X-rays, bone survey" | \$ 57.60 | \$ 73.89 | \$ 144.73 | \$ - | | \$ - |
| 76065TC | "X-rays, bone evaluation" | \$ 29.56 | \$ 73.89 | \$ 121.83 | \$ - | | \$ - |
| 76066TC | "Joint survey, single view" | \$ 44.34 | \$ 43.42 | \$ 33.58 | \$ 43.42 | 129% | \$ 9.84 |
| 76070TC | "Ct bone density, axial" | \$ 118.24 | \$ 72.70 | \$ 342.39 | \$ 72.70 | 21% | \$ (269.69) |

| HCPCS MOD | Description | MPFS Non-Fac RATE 06 | OPPS RATE 06 | Est. CMS "Town Hall" Cost Data | DRA Capped Rate | Capped Payment as % of Est. Cost | Capped Rate Versus Est. CMS Cost |
|-----------|--------------------------------|----------------------|--------------|--------------------------------|-----------------|----------------------------------|----------------------------------|
| 76071TC | "Ct bone density, peripheral" | \$ 114.07 | \$ 94.82 | \$ 45.08 | \$ 94.82 | 210% | \$ 49.74 |
| 76075TC | "Dxa bone density, axial" | \$ 123.92 | \$ 72.70 | \$ 36.57 | \$ 72.70 | 199% | \$ 36.13 |
| 76076TC | Dxa bone density/peripheral | \$ 30.32 | \$ 37.97 | \$ 29.76 | \$ - | | \$ - |
| 76077TC | Dxa bone density/v-fracture | \$ 30.32 | \$ 43.42 | \$ 21.83 | \$ - | | \$ - |
| 76078TC | Radiographic absorptiometry | \$ 30.32 | \$ 43.42 | \$ 19.78 | \$ - | | \$ - |
| 76080TC | X-ray exam of fistula | \$ 42.07 | \$ 101.04 | \$ 62.01 | \$ - | | \$ - |
| 76086TC | X-ray of mammary duct | \$ 104.98 | \$ 101.04 | \$ 75.80 | \$ 101.04 | 133% | \$ 25.25 |
| 76088TC | X-ray of mammary ducts | \$ 146.28 | \$ 101.04 | \$ 103.84 | \$ 101.04 | 97% | \$ (2.80) |
| 76093TC | "Magnetic image, breast" | \$ 704.51 | | \$ 1,583.12 | \$ - | | \$ - |
| 76094TC | "Magnetic image, both breasts" | \$ 955.77 | | \$ 1,590.95 | \$ - | | \$ - |
| 76098TC | "X-ray exam, breast specimen" | \$ 16.67 | \$ 43.42 | \$ 17.26 | \$ - | | \$ - |
| 76100TC | X-ray exam of body section | \$ 50.02 | \$ 73.89 | \$ 227.33 | \$ - | | \$ - |
| 76101TC | Complex body section x-ray | \$ 56.85 | \$ 101.04 | \$ 348.58 | \$ - | | \$ - |
| 76102TC | Complex body section x-rays | \$ 70.11 | \$ 205.56 | \$ 497.70 | \$ - | | \$ - |
| 76120TC | Cine/video x-rays | \$ 42.07 | \$ 79.10 | \$ 137.04 | \$ - | | \$ - |
| 76125TC | Cine/video x-rays add-on | \$ 31.45 | \$ 43.42 | \$ - | \$ - | | \$ - |
| 76376TC | 3d render w/o postprocess | \$ 133.02 | \$ 36.52 | \$ 94.93 | \$ 36.52 | 38% | \$ (58.41) |
| 76377TC | 3d rendering w/postprocess | \$ 141.74 | \$ 94.82 | \$ 75.79 | \$ 94.82 | 125% | \$ 19.03 |
| 76380TC | CAT scan follow-up study | \$ 139.84 | \$ 94.82 | \$ 319.85 | \$ 94.82 | 30% | \$ (225.03) |
| 76400TC | "Magnetic image, bone marrow" | \$ 447.95 | \$ 303.49 | \$ 1,074.82 | \$ 303.49 | 28% | \$ (771.33) |
| 76506TC | Echo exam of head | \$ 56.85 | \$ 59.09 | \$ 165.92 | \$ - | | \$ - |
| 76510TC | "Ophth us, b & quant a" | \$ 85.65 | \$ 94.52 | \$ 116.10 | \$ - | | \$ - |
| 76511TC | "Ophth us, quant a only" | \$ 79.96 | \$ 94.52 | \$ 68.68 | \$ - | | \$ - |
| 76512TC | "Ophth us, b w/non-quant a" | \$ 72.76 | \$ 94.52 | \$ 55.86 | \$ - | | \$ - |
| 76513TC | "Echo exam of eye, water bath" | \$ 61.39 | \$ 94.52 | \$ 86.66 | \$ - | | \$ - |
| 76514TC | "Echo exam of eye, thickness" | \$ 2.27 | \$ 36.52 | \$ 4.06 | \$ - | | \$ - |
| 76516TC | Echo exam of eye | \$ 48.89 | \$ 59.09 | \$ 64.97 | \$ - | | \$ - |
| 76519TC | Echo exam of eye | \$ 52.30 | \$ 94.52 | \$ 73.20 | \$ - | | \$ - |
| 76529TC | Echo exam of eye | \$ 45.86 | \$ 59.09 | \$ 64.26 | \$ - | | \$ - |
| 76536TC | Us exam of head and neck | \$ 56.85 | \$ 94.52 | \$ 172.33 | \$ - | | \$ - |
| 76604TC | "Us exam, chest, b-scan" | \$ 52.30 | \$ 94.52 | \$ 113.69 | \$ - | | \$ - |
| 76645TC | "Us exam, breast(s)" | \$ 42.07 | \$ 59.09 | \$ 134.24 | \$ - | | \$ - |
| 76700TC | "Us exam, abdom, complete" | \$ 79.21 | \$ 94.52 | \$ 194.04 | \$ - | | \$ - |
| 76705TC | Echo exam of abdomen | \$ 56.85 | \$ 94.52 | \$ 150.06 | \$ - | | \$ - |
| 76770TC | "Us exam abdo back wall, comp" | \$ 79.21 | \$ 94.52 | \$ 187.87 | \$ - | | \$ - |
| 76775TC | "Us exam abdo back wall, lim" | \$ 56.85 | \$ 94.52 | \$ 153.80 | \$ - | | \$ - |
| 76778TC | Us exam kidney transplant | \$ 79.21 | \$ 94.52 | \$ 208.44 | \$ - | | \$ - |
| 76800TC | "Us exam, spinal canal" | \$ 56.85 | \$ 94.52 | \$ 134.38 | \$ - | | \$ - |
| 76830TC | "Transvaginal us, non-ob" | \$ 61.39 | \$ 94.52 | \$ 174.70 | \$ - | | \$ - |
| 76831TC | "Echo exam, uterus" | \$ 61.39 | \$ 152.01 | \$ 163.59 | \$ - | | \$ - |
| 76856TC | "Us exam, pelvic, complete" | \$ 61.39 | \$ 94.52 | \$ 179.36 | \$ - | | \$ - |
| 76857TC | "Us exam, pelvic, limited" | \$ 67.08 | \$ 59.09 | \$ 157.46 | \$ 59.09 | 38% | \$ (98.37) |
| 76870TC | "Us exam, scrotum" | \$ 61.39 | \$ 94.52 | \$ 182.57 | \$ - | | \$ - |
| 76872TC | "Us, transrectal" | \$ 80.72 | \$ 94.52 | \$ 203.08 | \$ - | | \$ - |
| 76880TC | "Us exam, extremity" | \$ 56.85 | \$ 94.52 | \$ 200.10 | \$ - | | \$ - |
| 76885TC | "Us exam infant hips, dynamic" | \$ 61.39 | \$ 59.09 | \$ 208.10 | \$ 59.09 | 28% | \$ (149.01) |
| 76886TC | "Us exam infant hips, static" | \$ 56.85 | \$ 94.52 | \$ 135.37 | \$ - | | \$ - |
| 76970TC | Ultrasound exam follow-up | \$ 42.07 | \$ 59.09 | \$ 117.90 | \$ - | | \$ - |
| 76975TC | GI endoscopic ultrasound | \$ 61.39 | \$ 94.52 | \$ 259.77 | \$ - | | \$ - |
| 76977TC | Us bone density measure | \$ 32.97 | \$ 36.52 | \$ 5.40 | \$ - | | \$ - |
| 78006TC | Thyroid imaging with uptake | \$ 95.50 | \$ 146.77 | \$ 333.29 | \$ - | | \$ - |
| 78007TC | "Thyroid image, mult uptakes" | \$ 103.08 | \$ 165.46 | \$ 149.98 | \$ - | | \$ - |
| 78010TC | Thyroid imaging | \$ 73.52 | \$ 146.77 | \$ 225.93 | \$ - | | \$ - |
| 78011TC | Thyroid imaging with flow | \$ 96.64 | \$ 146.77 | \$ 242.79 | \$ - | | \$ - |
| 78015TC | Thyroid met imaging | \$ 103.08 | \$ 246.36 | \$ 294.86 | \$ - | | \$ - |
| 78016TC | Thyroid met imaging/studies | \$ 139.08 | \$ 246.36 | \$ 480.43 | \$ - | | \$ - |
| 78018TC | "Thyroid met imaging, body" | \$ 217.15 | \$ 246.36 | \$ 438.32 | \$ - | | \$ - |

| HCPCS MOD | Description | MPFS Non-Fac RATE 06 | OPPS RATE 06 | Est. CMS "Town Hall" Cost Data | DRA Capped Rate | Capped Payment as % of Est. Cost | Capped Rate Versus Est. CMS Cost |
|-----------|--------------------------------|----------------------|--------------|--------------------------------|-----------------|----------------------------------|----------------------------------|
| 78020TC | Thyroid met uptake | \$ 54.95 | \$ 89.50 | \$ 95.88 | \$ - | | \$ - |
| 78070TC | Parathyroid nuclear imaging | \$ 166.37 | \$ 165.46 | \$ 167.09 | \$ 165.46 | 99% | \$ (1.63) |
| 78075TC | Adrenal nuclear imaging | \$ 217.15 | \$ 165.46 | \$ 652.97 | \$ 165.46 | 25% | \$ (487.51) |
| 78102TC | "Bone marrow imaging, ltd" | \$ 82.24 | \$ 233.05 | \$ 225.22 | \$ - | | \$ - |
| 78103TC | "Bone marrow imaging, mult" | \$ 126.96 | \$ 233.05 | \$ 303.20 | \$ - | | \$ - |
| 78104TC | "Bone marrow imaging, body" | \$ 162.96 | \$ 233.05 | \$ 345.90 | \$ - | | \$ - |
| 78185TC | Spleen imaging | \$ 94.74 | \$ 233.05 | \$ 291.41 | \$ - | | \$ - |
| 78195TC | Lymph system imaging | \$ 162.96 | \$ 233.05 | \$ 456.57 | \$ - | | \$ - |
| 78201TC | Liver imaging | \$ 94.74 | \$ 256.53 | \$ 248.61 | \$ - | | \$ - |
| 78202TC | Liver imaging with flow | \$ 114.83 | \$ 256.53 | \$ 283.98 | \$ - | | \$ - |
| 78205TC | Liver imaging (3D) | \$ 236.48 | \$ 256.53 | \$ 281.18 | \$ - | | \$ - |
| 78206TC | Liver image (3d) with flow | \$ 228.90 | \$ 256.53 | \$ 795.36 | \$ - | | \$ - |
| 78215TC | Liver and spleen imaging | \$ 117.10 | \$ 256.53 | \$ 256.07 | \$ - | | \$ - |
| 78216TC | Liver & spleen image/flow | \$ 139.08 | \$ 256.53 | \$ 143.14 | \$ - | | \$ - |
| 78220TC | Liver function study | \$ 148.56 | \$ 256.53 | \$ 151.50 | \$ - | | \$ - |
| 78223TC | Hepatobiliary imaging | \$ 146.28 | \$ 256.53 | \$ 447.74 | \$ - | | \$ - |
| 78230TC | Salivary gland imaging | \$ 87.92 | \$ 224.33 | \$ 218.98 | \$ - | | \$ - |
| 78231TC | Serial salivary imaging | \$ 126.96 | \$ 224.33 | \$ 147.06 | \$ - | | \$ - |
| 78232TC | Salivary gland function exam | \$ 141.36 | \$ 224.33 | \$ 155.79 | \$ - | | \$ - |
| 78258TC | Esophageal motility study | \$ 114.83 | \$ 224.33 | \$ 302.69 | \$ - | | \$ - |
| 78261TC | Gastric mucosa imaging | \$ 164.10 | \$ 224.33 | \$ 325.12 | \$ - | | \$ - |
| 78262TC | Gastroesophageal reflux exam | \$ 169.78 | \$ 224.33 | \$ 308.47 | \$ - | | \$ - |
| 78264TC | Gastric emptying study | \$ 165.23 | \$ 224.33 | \$ 375.51 | \$ - | | \$ - |
| 78278TC | Acute GI blood loss imaging | \$ 194.41 | \$ 224.33 | \$ 452.27 | \$ - | | \$ - |
| 78290TC | Meckel's divert exam | \$ 122.03 | \$ 224.33 | \$ 451.59 | \$ - | | \$ - |
| 78291TC | Leveen/shunt patency exam | \$ 122.41 | \$ 224.33 | \$ 327.12 | \$ - | | \$ - |
| 78300TC | "Bone imaging, limited area" | \$ 99.67 | \$ 237.57 | \$ 216.64 | \$ - | | \$ - |
| 78305TC | "Bone imaging, multiple areas" | \$ 146.28 | \$ 237.57 | \$ 282.34 | \$ - | | \$ - |
| 78306TC | "Bone imaging, whole body" | \$ 170.54 | \$ 237.57 | \$ 316.20 | \$ - | | \$ - |
| 78315TC | "Bone imaging, 3 phase" | \$ 191.00 | \$ 237.57 | \$ 460.49 | \$ - | | \$ - |
| 78320TC | Bone imaging (3D) | \$ 236.48 | \$ 237.57 | \$ 285.22 | \$ - | | \$ - |
| 78350TC | "Bone mineral, single photon" | \$ 30.32 | \$ 43.42 | \$ 90.48 | \$ - | | \$ - |
| 78428TC | Cardiac shunt imaging | \$ 90.58 | \$ 250.17 | \$ 301.85 | \$ - | | \$ - |
| 78445TC | Vascular flow imaging | \$ 75.04 | \$ 123.96 | \$ 257.22 | \$ - | | \$ - |
| 78456TC | Acute venous thrombus image | \$ 162.20 | \$ 123.96 | \$ 580.62 | \$ 123.96 | 21% | \$ (456.66) |
| 78457TC | Venous thrombosis imaging | \$ 106.49 | \$ 123.96 | \$ 228.64 | \$ - | | \$ - |
| 78458TC | "Ven thrombosis images, bilat" | \$ 160.69 | \$ 123.96 | \$ 258.37 | \$ 123.96 | 48% | \$ (134.41) |
| 78460TC | "Heart muscle blood, single" | \$ 94.74 | \$ 250.17 | \$ 235.24 | \$ - | | \$ - |
| 78461TC | "Heart muscle blood, multiple" | \$ 188.73 | \$ 397.11 | \$ 188.71 | \$ - | | \$ - |
| 78464TC | "Heart image (3d), single" | \$ 282.72 | \$ 250.17 | \$ 315.79 | \$ 250.17 | 79% | \$ (65.62) |
| 78465TC | "Heart image (3d), multiple" | \$ 471.44 | \$ 397.11 | \$ 639.90 | \$ 397.11 | 62% | \$ (242.79) |
| 78466TC | Heart infarct image | \$ 104.98 | \$ 250.17 | \$ 232.73 | \$ - | | \$ - |
| 78468TC | Heart infarct image (ef) | \$ 146.28 | \$ 250.17 | \$ 343.29 | \$ - | | \$ - |
| 78469TC | Heart infarct image (3D) | \$ 209.19 | \$ 250.17 | \$ 334.99 | \$ - | | \$ - |
| 78472TC | "Gated heart, planar, single" | \$ 220.94 | \$ 250.17 | \$ 268.55 | \$ - | | \$ - |
| 78473TC | "Gated heart, multiple" | \$ 329.71 | \$ 299.43 | \$ 172.27 | \$ 299.43 | 174% | \$ 127.16 |
| 78478TC | Heart wall motion add-on | \$ 62.91 | \$ 89.50 | \$ 29.22 | \$ - | | \$ - |
| 78480TC | Heart function add-on | \$ 62.91 | \$ 89.50 | \$ 29.22 | \$ - | | \$ - |
| 78481TC | "Heart first pass, single" | \$ 209.19 | \$ 250.17 | \$ 29.79 | \$ - | | \$ - |
| 78483TC | "Heart first pass, multiple" | \$ 314.55 | \$ 299.43 | \$ 40.05 | \$ 299.43 | 748% | \$ 259.38 |
| 78494TC | "Heart image, spect" | \$ 280.06 | \$ 250.17 | \$ 334.18 | \$ 250.17 | 75% | \$ (84.01) |
| 78496TC | Heart first pass add-on | \$ 280.06 | \$ 89.50 | \$ 38.58 | \$ 89.50 | 232% | \$ 50.92 |
| 78580TC | Lung perfusion imaging | \$ 137.19 | \$ 197.37 | \$ 270.09 | \$ - | | \$ - |
| 78584TC | Lung V/Q image single breath | \$ 128.09 | \$ 321.74 | \$ 136.35 | \$ - | | \$ - |
| 78585TC | Lung V/Q imaging | \$ 225.87 | \$ 321.74 | \$ 453.71 | \$ - | | \$ - |
| 78586TC | "Aerosol lung image, single" | \$ 103.84 | \$ 197.37 | \$ 216.86 | \$ - | | \$ - |
| 78587TC | "Aerosol lung image, multiple" | \$ 111.80 | \$ 197.37 | \$ 290.87 | \$ - | | \$ - |
| 78588TC | Perfusion lung image | \$ 128.47 | \$ 321.74 | \$ 456.82 | \$ - | | \$ - |

| HCPCS MOD | Description | MPFS Non-Fac RATE 06 | OPPS RATE 06 | Est. CMS "Town Hall" Cost Data | DRA Capped Rate | Capped Payment as % of Est. Cost | Capped Rate Versus Est. CMS Cost |
|-----------|--------------------------------|----------------------|--------------|--------------------------------|-----------------|----------------------------------|----------------------------------|
| 78591TC | "Vent image, 1 breath, 1 proj" | \$ 113.69 | \$ 197.37 | \$ 215.57 | \$ - | | \$ - |
| 78593TC | "Vent image, 1 proj, gas" | \$ 137.95 | \$ 197.37 | \$ 253.58 | \$ - | | \$ - |
| 78594TC | "Vent image, mult proj, gas" | \$ 198.58 | \$ 197.37 | \$ 287.07 | \$ 197.37 | 69% | \$ (89.70) |
| 78600TC | "Brain imaging, ltd static" | \$ 114.83 | \$ 307.73 | \$ 419.51 | \$ - | | \$ - |
| 78601TC | "Brain imaging, ltd w/flow" | \$ 136.05 | \$ 307.73 | \$ 288.06 | \$ - | | \$ - |
| 78605TC | "Brain imaging, complete" | \$ 136.05 | \$ 307.73 | \$ 248.94 | \$ - | | \$ - |
| 78606TC | "Brain imaging, compl w/flow" | \$ 155.00 | \$ 307.73 | \$ 450.96 | \$ - | | \$ - |
| 78607TC | Brain imaging (3D) | \$ 262.25 | \$ 307.73 | \$ 849.83 | \$ - | | \$ - |
| 78610TC | Brain flow imaging only | \$ 63.67 | \$ 307.73 | \$ 238.06 | \$ - | | \$ - |
| 78615TC | Cerebral vascular flow image | \$ 154.24 | \$ 307.73 | \$ 289.29 | \$ - | | \$ - |
| 78630TC | Cerebrospinal fluid scan | \$ 201.61 | \$ 208.38 | \$ 459.92 | \$ - | | \$ - |
| 78635TC | CSF ventriculography | \$ 101.94 | \$ 208.38 | \$ 462.21 | \$ - | | \$ - |
| 78645TC | CSF shunt evaluation | \$ 137.19 | \$ 208.38 | \$ 466.37 | \$ - | | \$ - |
| 78647TC | Cerebrospinal fluid scan | \$ 236.48 | \$ 208.38 | \$ 794.14 | \$ 208.38 | 26% | \$ (585.76) |
| 78650TC | CSF leakage imaging | \$ 185.32 | \$ 208.38 | \$ 461.15 | \$ - | | \$ - |
| 78660TC | Nuclear exam of tear flow | \$ 85.27 | \$ 208.38 | \$ 228.44 | \$ - | | \$ - |
| 78700TC | "Kidney imaging, static" | \$ 122.03 | \$ 217.56 | \$ 229.51 | \$ - | | \$ - |
| 78701TC | Kidney imaging with flow | \$ 142.12 | \$ 217.56 | \$ 286.51 | \$ - | | \$ - |
| 78704TC | Imaging renogram | \$ 158.03 | \$ 217.56 | \$ 283.73 | \$ - | | \$ - |
| 78707TC | Kidney flow/function image | \$ 178.50 | \$ 217.56 | \$ 288.89 | \$ - | | \$ - |
| 78708TC | Kidney flow/function image | \$ 178.50 | \$ 246.93 | \$ 162.35 | \$ - | | \$ - |
| 78709TC | Kidney flow/function image | \$ 178.50 | \$ 246.93 | \$ 467.44 | \$ - | | \$ - |
| 78710TC | Kidney imaging (3D) | \$ 236.48 | \$ 217.56 | \$ 275.80 | \$ 217.56 | 79% | \$ (58.24) |
| 78715TC | Renal vascular flow exam | \$ 63.67 | \$ 217.56 | \$ 267.81 | \$ - | | \$ - |
| 78730TC | Urinary bladder retention | \$ 58.36 | \$ 36.52 | \$ 263.24 | \$ 36.52 | 14% | \$ (226.72) |
| 78740TC | Ureteral reflux study | \$ 85.27 | \$ 217.56 | \$ 318.50 | \$ - | | \$ - |
| 78760TC | Testicular imaging | \$ 107.25 | \$ 217.56 | \$ 222.01 | \$ - | | \$ - |
| 78761TC | Testicular imaging/flow | \$ 128.09 | \$ 217.56 | \$ 263.88 | \$ - | | \$ - |
| 78800TC | "Tumor imaging, limited area" | \$ 136.05 | \$ 246.36 | \$ 212.35 | \$ - | | \$ - |
| 78801TC | "Tumor imaging, mult areas" | \$ 168.64 | \$ 246.36 | \$ 313.11 | \$ - | | \$ - |
| 78802TC | "Tumor imaging, whole body" | \$ 221.70 | \$ 246.36 | \$ 444.43 | \$ - | | \$ - |
| 78803TC | Tumor imaging (3D) | \$ 262.25 | \$ 246.36 | \$ 861.69 | \$ 246.36 | 29% | \$ (615.33) |
| 78804TC | "Tumor imaging, whole body" | \$ 431.65 | \$ 650.00 | \$ 819.63 | \$ - | | \$ - |
| 78805TC | "Abscess imaging, ltd area" | \$ 136.05 | \$ 246.36 | \$ 220.93 | \$ - | | \$ - |
| 78806TC | "Abscess imaging, whole body" | \$ 257.70 | \$ 246.36 | \$ 449.10 | \$ 246.36 | 55% | \$ (202.74) |
| 78807TC | Nuclear localization/abscess | \$ 262.25 | \$ 246.36 | \$ 830.00 | \$ 246.36 | 30% | \$ (583.64) |
| 93303TC | Echo transthoracic | \$ 155.38 | \$ 189.01 | \$ 303.43 | \$ - | | \$ - |
| 93304TC | Echo transthoracic | \$ 78.83 | \$ 89.99 | \$ 209.25 | \$ - | | \$ - |
| 93307TC | Echo exam of heart | \$ 155.38 | \$ 189.01 | \$ 254.22 | \$ - | | \$ - |
| 93308TC | Echo exam of heart | \$ 78.83 | \$ 89.99 | \$ 183.78 | \$ - | | \$ - |
| 93312TC | Echo transesophageal | \$ 154.62 | \$ 353.31 | \$ 498.92 | \$ - | | \$ - |
| 93314TC | Echo transesophageal | \$ 154.62 | | \$ 490.84 | \$ - | | \$ - |
| 93320TC | "Doppler echo exam, heart" | \$ 69.35 | \$ 99.76 | \$ 111.34 | \$ - | | \$ - |
| 93321TC | "Doppler echo exam, heart" | \$ 45.10 | \$ 89.99 | \$ 42.02 | \$ - | | \$ - |
| 93325TC | Doppler color flow add-on | \$ 118.24 | \$ 89.99 | \$ 49.46 | \$ 89.99 | 182% | \$ 40.53 |
| 93350TC | Echo transthoracic | \$ 72.01 | \$ 189.01 | \$ 343.02 | \$ - | | \$ - |
| 93880TC | Extracranial study | \$ 216.79 | \$ 152.01 | \$ 413.49 | \$ 152.01 | 37% | \$ (261.48) |
| 93890TC | "Tcd, vasoreactivity study" | \$ 185.70 | \$ 94.52 | \$ 403.99 | \$ 94.52 | 23% | \$ (309.47) |
| 93892TC | "Tcd, emboli detect w/o inj" | \$ 193.28 | \$ 94.52 | \$ 431.59 | \$ 94.52 | 22% | \$ (337.07) |
| 93893TC | "Tcd, emboli detect w/inj" | \$ 188.35 | \$ 94.52 | \$ 409.28 | \$ 94.52 | 23% | \$ (314.76) |
| 93922TC | Extremity study | \$ 103.84 | \$ 95.34 | \$ 202.32 | \$ 95.34 | 47% | \$ (106.98) |
| 93923TC | Extremity study | \$ 155.76 | \$ 95.34 | \$ 308.34 | \$ 95.34 | 31% | \$ (213.00) |
| 93924TC | Extremity study | \$ 184.94 | \$ 95.34 | \$ 401.27 | \$ 95.34 | 24% | \$ (305.93) |
| 93925TC | Lower extremity study | \$ 263.39 | \$ 152.01 | \$ 558.97 | \$ 152.01 | 27% | \$ (406.96) |
| 93926TC | Lower extremity study | \$ 157.65 | \$ 94.52 | \$ 339.08 | \$ 94.52 | 28% | \$ (244.56) |
| 93930TC | Upper extremity study | \$ 211.47 | \$ 152.01 | \$ 417.80 | \$ 152.01 | 36% | \$ (265.79) |
| 93931TC | Upper extremity study | \$ 137.57 | \$ 94.52 | \$ 287.26 | \$ 94.52 | 33% | \$ (192.74) |
| 93965TC | Extremity study | \$ 106.11 | \$ 95.34 | \$ 209.48 | \$ 95.34 | 46% | \$ (114.14) |

| HCPCS MOD | Description | MPFS Non-Fac RATE 06 | OPPS RATE 06 | Est. CMS "Town Hall" Cost Data | DRA Capped Rate | Capped Payment as % of Est. Cost | Capped Rate Versus Est. CMS Cost |
|--------------|----------------------------|----------------------------|-----------------|---|-----------------------|---|---|
| 93970TC | Extremity study | \$ 205.78 | \$ 152.01 | \$ 414.35 | \$ 152.01 | 37% | \$ (262.34) |
| 93971TC | Extremity study | \$ 140.98 | \$ 94.52 | \$ 271.01 | \$ 94.52 | 35% | \$ (176.49) |
| 93975TC | Vascular study | \$ 283.47 | \$ 152.01 | \$ 554.15 | \$ 152.01 | 27% | \$ (402.14) |
| 93976TC | Vascular study | \$ 160.69 | \$ 152.01 | \$ 292.43 | \$ 152.01 | 52% | \$ (140.42) |
| 93978TC | Vascular study | \$ 176.98 | \$ 94.52 | \$ 411.42 | \$ 94.52 | 23% | \$ (316.90) |
| 93979TC | Vascular study | \$ 125.44 | \$ 94.52 | \$ 298.22 | \$ 94.52 | 32% | \$ (203.70) |
| 93980TC | Penile vascular study | \$ 105.73 | \$ 152.01 | \$ 207.72 | \$ - | | \$ - |
| 93981TC | Penile vascular study | \$ 115.59 | \$ 94.52 | \$ 183.42 | \$ 94.52 | 52% | \$ (88.90) |
| 93990TC | Doppler flow testing | \$ 156.90 | \$ 94.52 | \$ 328.80 | \$ 94.52 | 29% | \$ (234.28) |
| G0130TC | Single energy x-ray study | \$ 32.21 | \$ 43.42 | \$ - | \$ - | | \$ - |
| G0365TC | Vessel mapping hemo access | \$ 156.90 | \$ 152.01 | \$ 223.75 | \$ 152.01 | 68% | \$ (71.74) |

* Source: MPFS rates were calculated using the most current version of 2006 Relative Value Units (RVUs) as published in the RVU files on the CM
OPPS rates were calculated using the most current version of the applicable Ambulatory Payment Classification (APC) as published in Addendum 1
** Source: CMS "Town Hall" Cost Data was calculated using Clinical Practice Expert Panel (CPEP) inputs as published by CMS during the 2/15/06
CMS sponsored Town Hall meeting. In the 37 instances where CPEP inputs were missing from this town hall data source, CPEP inputs from the 21
database were utilized. In certain instances we could not identify a value from either source and could not calculate cost data,
while we left these on the list so it could be noted that they may potentially be affected by the DRA policy, they were not included in our analysis of 1
In 7 instances, CPEP inputs were missing for supplies and/or were missing for supplies
and equipment (5 instances). When CPEP inputs are missing, the Est. CMS "Town Hall" Cost Data may be underestimated.